INDEX*†
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 63, 1990
AUTHOR INDEX

Abele, M., see Engels, H. -W. (abs-S90#022) (4) 642
Adam, G., Šebenik, A., Osredkar, U., Veksli, Z., and Ranogajec, F., Grafting of waste rubber (5) 660
Ahagon, A., see Kaidou, Hiroyuki (5) 698
Ahagon, Asahiro, Kida, M., and Kaidou, H., Aging of tire parts during service. I. Types of aging in heavy-duty tires (5) 683
Aimura, Yoshiaki, see Hashimoto, Kinro (abs-F89#105) (1) 162
Aimon, Dominique, Radial design adapted to motorcycle tires (abs-F89#065) (1) 158
Aloisio, S., see Ferro, R. (abs-F89#058) (1) 157
Altenberger, Andrzej R. and Dahler, John S., Statistical mechanics of polymer elasticity (abs-S90#065) (4) 646
Aminabhavi, T. M., see Wells, Lisa A. (1) 66
Aminabhavi, Tejraj M., Cassidy, Patrick E., and Thompson, Corley M., Electrical resistivity of carbon-black-loaded rubbers (review) (3) 451
Amu, Abu, Developments in epoxidized natural rubber (abs-F89#091) (1) 161
Arnold, Ulf-Erik, see Wolff, Siegfried (abs-F89#114) (2) 312
Asada, A., Hosozawa, H., Toyoda, A., and Sato, H., Composition distribution of acrylonitrile–butadiene copolymers as analyzed by high-performance liquid chromatography (2) 181
Ayala, J. A., Hess, W. M., Dotson, A. O., and Joyce, G. A., New studies on the surface properties of carbon blacks (5) 747
Ayub, A. L., Lebel, M. A., and Robinson, K. J., A new family of low-permeability, weather- and heat-resistant thermoplastic elastomers (abs-F89#103) (1) 161

Babrowicz, R., see Nakajima, N. (4) 624
Baker, C. S. L., Advances in natural rubber science and technology (abs-F89#010) (1) 149
Baldwin, Ted, see Copes, Arthur (abs-S90#031) (4) 643
Barber, J. F. and Karas, G. Christopher, The European markets for TPEs (abs-F89#028) (1) 152
Barbour, Arthur L., see Beck, Michael R. (abs-F89#004) (1) 156
Barker, L. R. and Tinker, A. J., Accelerated testing and its relevance to service performance (abs-F89#031) (2) 308
Basu, S. P., see Neogi, Chanchal (5) 651
Bauer, R. F. and Crossland, A. H., The resolution of elastomer blend properties by stress–strain modelling. An extension of the model to carbon-black-loaded elastomers (5) 779
Beardsley, Kenneth P. and Tomlinson, Richard W., Processing of EPDM polymers as related to structure and rheology (4) 540
Beatty, J. Roger, Merton Leland Studebaker, 1913–1982 (2) G27
Beck, Michael R. and Barbour, Arthur L., Nonblack fillers—current patterns and future trends (abs-F89#004) (1) 156
Bhattacharya, A. K., see Neogi, Chanchal (5) 651
Bhowmick, Anil K., see Sarkar, Amalendu (abs-F89#039) (1) 154
Bhowmick, Anil K., see Neogi, Chanchal (5) 651
Birdsall, Dean A., see Hong, Sung W. (abs-S90#075) (4) 646
Bloomfield, D. G., Diamine diisocyanate zinc—A novel approach to the solution of the nitrosamine problem (abs-S90#053) (4) 645
Böttcher, H., Czekalla, K., Fendel, H., and Picht, N., Electronic data processing in the organization of a rubber testing department (abs-S90#079) (4) 647

* The first and second issues of Volume 63 contain abstracts of Fall 1989 Meeting Papers not published in full in Rubber Chemistry and Technology; the fourth issue has abstracts from the Spring 1990 Meeting. Fall '89 abstracts are cited (abs-F89#..) followed by the paper number. Spring '90 abstracts are shown as (abs-S90#..). Complete copies of these papers may be obtained from Mrs. Ruth Murray, Rubber Division, ACS, The University of Akron, Akron, OH 44325-3801.

† Prepared by Lois W. Brock.

Bond, Robert, The component manufacturer—The roles of the raw-material supplier and the machinery manufacturer (abs-F89#060) (1) 158
Brackley, C. A., see Roberts, A. D. (5) 722
Brink, Robert V., A corotating conjugate twin-screw feed injector (abs-F89#113) (1) 162
Brodhagen, Thomas W., Silicones in medical markets—Past, present, and future (abs-S90#014) (4) 640
Budiman, A. F. S., Indonesian natural rubber: Meeting the challenge of the tire industry (abs-F89#011) (1) 150
Budzikiewicz, H., see Lattimer, R. P. (2) 298
Buhrin, Henri, Spreutels, W., and Sezna, John, MV2000 Mooney Viscometer— Mooney relaxation measurements on raw and compounded rubber stocks (abs-F89#074) (1) 160

Cain, D. E., see Peters, L. A. (abs-S90#006) (4) 638
Caldwell, Randall S., Career opportunities in the 1990's (abs-F89#050) (1) 156
Campomizzi, E. C., see Wong, Henry H. (abs-F89#053) (1) 156
Canedo, E. L., see Valsamis, L. M. (abs-F89#045) (1) 155
Capelle, Gerd, Latest trends in the field of calender lines for the processing of rubber (abs-F89#120) (1) 163
Cassidy, P. E., see Wells, Lisa A. (1) 66
Cassidy, Patrick E., see Aminabhavi, Tejraj M. (review) (3) 451
Chang, Eugene and Mazzone, Edward, A new nonpostcure curative package for polyacrylate elastomers (abs-F89#071) (1) 160
Chen, Augustin T., Novel high-temperature thermoplastic elastomers (abs-F89#104) (1) 162
Chen, Sun-Lin, see Parker, Dane K. (4) 582
Cheng, D. M., Gardner, I. J., Wang, H. C., Frederick, C. B., Dekmezian, A. H., and Hous, P., Spectroscopic studies of the structures of butyl and bromobutyl rubbers (2) 265
Chrisman, Lowell G., Will the rubber industry be affected by the plastics industry in the 1990's? (abs-F89#051) (1) 156
Christell, Lance A., Experimental design to meet marketplace needs: A case study (abs-F89#130) (1) 164
Chu, M. H., see Nakajima, N. (1) 110
Chu, M. H., see Nakajima, N. (4) 624
Colvin, Howard A., see Parker, Dane K. (4) 582
Contreras, J. L., see Monroy, V. M., (abs-F89#119) (2) 312
Copes, Arthur and Baldwin, Ted, The utilization of natural rubber in the correction of scoliosis (abs-S90#031) (4) 643
Coran, A. Y., New elastomers by reactive processing. Part I. Vucanizable precured alloys from NBR and ACM (4) 599
Corwin, M. A., see Rifi, M. R. (abs-S90#007) (4) 639
Crane, David J. and Ness, Percival E., Jr., The effect of measurement variability on interpretation of analytical data (abs-F89#126) (1) 163
Crossland, A. H., see Bauer, R. F. (5) 779
Czekalla, K., see Böttcher, H. (abs-S90#079) (4) 647

Dahler, John S., see Altenberger, Andrzej R. (abs-S90#065) (4) 646
Danilowicz, P. A., see Larsen, Lars C. (abs-F89#041) (2) 309
Darling, B., Fishman, H. B., Goodwille, J., Winchell, K., and Wooten, J., Case histories of modified bitumen membranes (abs-S90#001) (4) 637
De Coninck, Dirk, see Sezna, John A. (abs-F89#078) (2) 311
de Jong, M. C., see Winkler, E. M. (2) 223
de Livonniere, H. and Touron, J. C., Low-molecular-weight natural rubber (abs-F89#033) (1) 152
Dee, T., see Marshall, A. J. (2) 244
DeFoor, F., Physico-chemical aspects of asphalt modification for road construction (abs-S90#005) (4) 638
Dekmezian, A. H., see Cheng, D. M. (2) 265
Diamond, William C. and Henderson, Garr E., Potential errors in dynamic mechanical analysis testing and possible solutions (abs-F89#075) (1) 160
Diedrich, K. M., see zur Nedden, Klaus (abs-F89#035) (1) 153
Donahue, Kevin and Lee, William B., Automated monitoring and control of the internal mixer (abs-F89#062) (1) 158
Donnet, Jean-Baptiste, see Wolff, Siegfried (1) 32
Donoian, G. S., see Valsamis, L. M. (abs-F89#045) (1) 155
Dotson, A. O., see Ayala, J. A. (5) 747
Dunn, J. R., Henderson, J. F., and Smirle, J., Evaluation of patents concerning truck tires (abs-F89#042) (1) 155

Dunn, J. R. and Wall, D. W., Heat-resistant EPDM blends for resilient engine mounts (abs-S90#048) (4) 645
Duvdevani, I., see Gursky, L. (abs-F89#055) (2) 309

Eisele, U., see Musch, R. (abs-F89#057) (1) 157
Eldred, Roger J., Platy-filler effects on fracture energies and flex fatigue of elastomers (abs-F89#097) (2) 311
Ellwood, Harry, The continuous compounding of rubber (abs-F89#063) (1) 158
Emerson, R. J., see Giustino, J. M. (abs-F89#064) (2) 310
Endstra, W. C., Crosslinking of polymers with multifunctional peroxides (abs-F89#068) (1) 159
Engels, H. -W. and Abele, M., Improved economics in the production of natural-rubber goods through the use of peptizers (abs-S90#022) (4) 642
Ennis, Royce E., see Pillow, John (abs-F89#019) (2) 308
Erhan, Selim and Kleiman, R., Meadowfoam oil factice and its performance in natural-rubber mixes (abs-S90#023) (4) 642

Faiman, David T., see Jablonowski, Thomas L. (abs-S90#050) (4) 645
Farber, Milton, A new chlorinated polyethylene for elastomer applications (abs-F89#106) (1) 162
Faulkner, Roger and Russell, David D., Maleinized butyl rubber: Effect of grafting method on properties (abs-F89#090) (2) 311
Fendel, H., see Böttcher, H. (abs-S90#079) (4) 647
Fernando, Juan, Rubber sundries and medical devices (abs-S90#030) (4) 643
Ferro, R., Giunchi, G., Aloisio, S., and Lagana, C., Physical properties of cured fluoroelastomers—Effect of environmental conditions and fillers (abs-F89#058) (1) 157
Ficker, H. K., see Rifi, M. R. (abs-S90#007) (4) 639
Fiedler, L. D., see Norris, Ann (abs-F89#056) (1) 157
Finn, James C., Producing natural-latex products for the health-care industry: How the small company stays competitive (abs-S90#012) (4) 640
Fishman, H. B., see Darling, B. (abs-S90#001) (4) 637
Forrest, Danny D. and Larson, Steven F., A unique approach to product characterization and release (abs-F89#128) (1) 164
Francis, A. E., see Wong, Henry H. (abs-F89#131) (1) 165
Frederick, C. B., see Cheng, D. M. (2) 265
Fukahori, Yoshide, see Kojima, Hiromu (abs-F89#018) (1) 151
Funayama, Yoshinori, see Yamada, Kazuhiro (5) 669
Fusco, J. V., see Gursky, L. (abs-F89#055) (2) 309
Futamura, S., see Schuring, D. J. (review) (3) 315

Gardner, I. J., see Cheng, D. M. (2) 265
Gark, K. and Sharman, S., Using a personal computer to monitor and analyze the processing of elastomers in an internal mixer (abs-F89#046) (2) 309
Gent, A. N. and Kim, H. J., Effect of contact time on tack (4) 613
Gent, Alan N. and Hindi, M., Effect of oxygen on the tear strength of elastomers (1) 123
Gent, Alan N., Cavitation in rubber: a cautionary tale (3) G49
Gilbert, M. D., see Sloan, James M. (abs-S90#051) (4) 645
Giunchi, G., see Ferro, R. (abs-F89#058) (1) 157
Giustino, J. M., Wong, C. P., and Emerson, R. J., Rolling-resistance prediction of tread compounds with an instrumented Yerzley oscillograph (abs-F89#064) (2) 310
Goodwille, J., see Darling, B. (abs-S90#001) (4) 637
Grootaert, W. M., Kolb, R. E., and Worm, A. T., A novel fluorocarbon elastomer for high-temperature sealing applications in aggressive motor-oil environments (4) 516
Gursky, L., Fusco, J. V., Duvdevani, I., and Takeda, T., Star-branched butyl—A novel butyl rubber for improved processability. IV (abs-F89#055) (2) 309

Haddock, T. H., see Kenney, J. F. (abs-S90#033) (4) 644
Haidar, B., see Smith, T. L. (2) 256
Hamed, Gary R. and Han, K. T., Mechanical properties of vulcanizates containing covalent, ionic, and mixed crosslinks (5) 806
Han, Charles C., Phase behavior of polymer blends (1) 98
Han, K. T., see Hamed, Gary R. (5) 806
Hanhela, Peter J., Huang, Robert H. E., Paul, D. Brenton, and Symes, Theodore E. F., Oscillating-disk curemeter monitoring of two-part polysulfide sealant (2) 167
Hansemann, Bernd, Phenolic, nonstaining antioxidants—a guide to select the right product (abs-S90#054) (4) 646

Hashimoto, Kinro, Nakagawa, Takashi; Murakata, Kiyoshi; Saya, Toshiaki; and Aimura, Yoshiaki, Liquid highly saturated nitrile elastomers (abs-F89#105) (1) 162
Hatada, Koichi, see Tanaka, Yasuyuki (1) 1
Hatakayama, Jun, see Takahashi, Masaharu (abs-F89#015) (1) 150
Hattori, I., see Makino, Kenya (5) 713
Hattori, Iwakazu, Tsutsumi, Fumio; Sakakibara, Mitsuhiko; and Makino, Kenya, Modification of high-*cis*-1,4-polybutadiene prepared by neodymium catalyst (abs-S90#084) (4) 649
Hedrick, J. L., see Smith, T. L. (2) 256
Henderson, Garr E., see Diamond, William C. (abs-F89#075) (1) 160
Henderson, J. F., see Dunn, J. R. (abs-F89#042) (1) 155
Hess, W. M., see Ayala, J. A. (5) 747
Heuther, R., see Wong, H. H. (abs-S90#080) (4) 648
Hindi, M., see Gent, Alan N. (1) 123
Holden, G., see Puleo, Annarose C. (abs-S90#028) (4) 643
Hong, Sung W. and Stieber, Joseph F., Hardening resin cured with bonding agent (abs-F89#016) (1) 151
Hong, Sung W. and Birdsall, Dean A., Evaluation of various SBRs in tread compounds (abs-S90#075) (4) 646
Hong, Sung Whee, Application of new nonstaining antiozonant (abs-F89#072) (1) 160
Horvath, James W., Dynamic properties of nitrile rubbers (abs-S90#018) (4) 641
Hosozawa, H., see Asada, A. (2) 181
Hous, P., see Cheng, D. M., (2) 265
Huang, Baotong, see Qin, Chuan (1) 77
Huang, Robert H. E., see Hanhela, Peter J. (2) 167
Hudson, John A., In-process bonding of elastomeric material to a polymeric composite without use of adhesives (abs-S90#025) (4) 642
Huhn, G., see zur Nedden, Klaus (abs-F89#035) (1) 153
Husband, D. M., see Stacer, R. G. (4) 488
Huser, S. A., New generation EPDM polymers for automotive body sealing systems (abs-S90#009) (4) 639
Hübner, C., see Stacer, R. G. (4) 488

Inada, S., see Takino, Hiroshi (abs-F89#036) (2) 309
Inkpen, J. W., Polymer degradation by automatic transmission and power steering fluids (abs-S90#081) (4) 648
Inoue, Yumiko, see Nakajima, Yukio (abs-F89#066) (1) 159

Jablonowski, Thomas L. and Faiman, David T., Blends of butyl and EPDM in inner-tube applications (abs-S90#050) (4) 645
Jobe, I. R., see Marshall, A. J. (2) 244
Joffrion, R. K. and May, P. D., Chateau en Amerique (abs-F89#025) (1) 152
Johnson, P. S., Mixing efficiency and quality: A view from a synthetic rubber producer (abs-F89#044) (1) 155
Jones, F. K., see Randall, William R. (abs-F89#017) (1) 151
Jones, F. K., Outzs, L. L., and Liolios, G., The effect of heat generation on the performance of several elastomers for automotive use (abs-S90#058) (4) 646
Joyce, G. A., see Ayala, J. A. (5) 747

Kaidou, H., see Ahagon, Asahiro (5) 683
Kaidou, Hiroyuki and Ahagon, A., Aging of tire parts during service. II. Aging of belt-skim rubbers in passenger tires (5) 698
Karas, G. Christopher, see Barber, J. F. (abs-F89#028) (1) 152
Kardux, Ken, Micro weighments of compound ingredients (abs-F89#061) (1) 158
Kastein, Benjamin, Jr., People make the difference (5) G81
Kelley, Frank N., Alan N. Gent, Charles Goodyear Medalist—1990, biography (3) G47
Kelly, T. J. and Larson, S. F., Controlling the Mooney viscosity measurement process for a product manufactured at multiple sites (abs-F89#127) (1) 164
Kelm, J., see van der Velden, G. P. M. (2) 215
Kenney, J. F., Haddock, T. H., Sun, R. L., and Parreira, H. C., Medical-grade acrylic adhesives for skin contact (abs-S90#033) (4) 644
Kida, M., see Ahagon, Asahiro (5) 683
Kim, H . J., see Gent, A. N. (4) 613
King, G. and King, H., Preparation and evaluation of polymer-modified asphalt binders (abs-S90#002) (4) 637

King, H., see King, G. (abs-S90#002) (4) 637
Kinsey, Robert A., Solid-state NMR of elastomers (review) (3) 407
Kleiman, R., see Erhan, Selim (abs-S90#023) (4) 642
Knapp, T. L., see Norris, Ann (abs-F89#056) (1) 157
Kojima, Hiromu and Fukahori, Yoshide, Performance and durability of high-damping rubber bearings for earthquake protection (abs-F89#018) (1) 151
Kolb, R. E., see Grootaert, W. M. (4) 516
Krakowski, Frank J. and Tinker, Andrew J., Effect of polymer ratios, black level and distribution, and secondary accelerator level on natural-rubber/polybutadiene blends. Part I. (abs-F89#032) (2) 308
Krupiczwicz, Wesley M. and Lyons, Donald F., Statistical process control of the batch process (abs-F89#125) (1) 163
Kugler, H. P., Stacer, R. G., and Steimle, C., Direct measurement of Poisson's ratio in elastomers (4) 473

Lagana, C., see Ferro, R. (abs-F89#058) (1) 157
Laird, Janet L. and Liolios, George, Thermal analysis techniques for the rubber laboratory (abs-F89#080) (1) 160
Larsen, Lars C., Danilowicz, P. A., and Ruffing, C. T., Extending the life and performance of butyl curing bladders (abs-F89#041) (2) 309
Larson, S. F., see Kelly, T. J. (abs-F89#127) (1) 164
Larson, Steven F., see Forrest, Danny D. (abs-F89#128) (1) 164
Lattimer, R. P., Muenster, H., and Budzikiewicz, H., Tandem mass spectrometry (MS/MS) for analysis of organic additives in an uncured rubber compound (2) 298
Lattimer, Robert P., see Layer, Robert W. (review) (3) 426
Layer, Robert W. and Lattimer, Robert P., Protection of rubber against ozone (review) (3) 426
Lebel, M. A., see Ayub, A. L. (abs-F89#103) (1) 161
Lee, Ching-Chih, Flow channel design using the flow analysis network method (abs-F89#059) (2) 310
Lee, G. F., see Roland, C. M. (4) 554
Lee, William B., see Donahue, Kevin (abs-F89#062) (1) 158
Lim, H. S., Processing of viscosity-stabilized natural rubber (abs-F89#034) (1) 153
Liolios, G., see Jones, F. K. (abs-S90#058) (4) 646
Liolios, George, see Laird, Janet L. (abs-F89#080) (1) 160
Lyons, Donald F., see Krupiczwicz, Wesley M. (abs-F89#125) (1) 163

Makino, Kenya, see Hattori, Iwakazu (abs-S90#084) (4) 649
Makino, Kenya, Hattori, I., and Watanabe, M., Polymerization of ethylene with propylene by soluble titanium (III) catalyst (5) 713
Manzur, Angel, Strain-induced crystallization in *cis*- and *trans*-polyisoprene blends. Determination of x-ray crystallinity (abs-F89#013) (1) 150
Mark, J. E., see Xu, P. (2) 276
Mark, J. E., see Queslel, J. P. (1) 46
Marshall, A. J., Jobe, I. R., Dee, T., and Taylor, C., Determination of the degree of hydrogenation in hydrogenated nitrile–butadiene rubber (HNBR) (2) 244
Martinez, E. N., see Monroy, V. M., (abs-F89#119) (2) 312
Matner, M., see Newaz, S. S. (abs-S90#003) (4) 638
Mattson, Bengt, Stenberg, Bengt; Persson, Sture; and Östman, Erik, Thermo-oxidative degradation of thick-walled rubber materials studied by IR-technique and computed x-ray tomography scanning (1) 23
May, P. D., see Joffrion, R. K. (abs-F89#025) (1) 152
Mayhew, Arthur L., The effects of the upcoming merging of European countries on marketing of rubber chemicals in Europe (abs-S90#055) (4) 646
Mazzone, Edward, see Chang, Eugene (abs-F89#071) (1) 160
McMillan, Carl R., Modified olefins in medical applications (abs-S90#032) (4) 644
McMillin, Carl R., Overview of elastomers in biomedical applications (abs-S90#011) (4) 639
McNeish, Alan, Future markets for carbon black (abs-F89#048) (1) 155
Menough, John, Chemical exposure at work—A guide for the smallest company (abs-S90#069) (4) 646
Min, K. and Suh, K. G., Experiments and modelling of flow of elastomers in internal mixer with intermeshing rotors (abs-F89#109) (2) 312
Monroy, V. M., Contreras, J. L., Martinez, E. N., Robles–Vasquez, O., Rivera–Gastelum, M. J., A rheological and structural study of high-styrene content solution SBRs (abs-F89#119) (2) 312
Mori, Makio, see Tanaka, Yasuyuki (1) 1
Muenster, H., see Lattimer, R. P. (2) 298
Murakata, Kiyoshi, see Hashimoto, Kinro (abs-F89#105) (1) 162
Musch, R. and Eisele, U., New polychloroprene grades with optimizesd structure–property relationship (abs-F89#057) (1) 157

Nakagawa, Kinro, see Hashimoto, Kinro (abs-F89#105) (1) 162
Nakajima, N. and Chu, M. H., Development of filler–rubber interaction in carbon black- and silica-filled compounds (1) 110
Nakajima, N., Chu, M. H., and Babrowicz, R., Tensile stress–strain measurements for characterization of gum elastomers and filled compounds (4) 624
Nakajima, Yukio, Inoue, Yumiko; and Ogawa, Hiroshi, Application of the boundary-element method and modal analysis to acoustic problems of tires (abs-F89#066) (1) 159
Nelson, Norman W., see Nicholson, David W. (review) (3) 368
Neogi, Chanchal, Bhattacharya, A. K., Bhowmick, Anil K., and Basu, S. P., Dynamic mechanical analysis of carbon-black-filled rubber vulcanizates under swollen conditions (5) 651
Ness, Percival E., Jr., Mechanical and process industries SPC— Understanding some key distinctions (abs-F89#124) (1) 163
Ness, Percival E., Jr., see Crane, David J. (abs-F89#126) (1) 163
Newaz, S. S. and Matner, M., Polychloroprene-modified aqueous asphalt emulsion: Use in roofs and roads (abs-S90#003) (4) 638
Newman, S., see Wong, H. H. (abs-S90#078) (4) 647
Newman, Shawn, Use of butyl elastomers in the medical industry (abs-S90#013) (4) 640
Nicholson, David W. and Nelson, Norman W., Finite-element analysis in design with rubber (review) (3) 368
Norris, Ann, Fiedler, L. D., and Knapp, T. L., Evaluation of fluorosilicone elastomers in methanol-containing fuels (abs-F89#056) (1) 157

O'Connor, Gary E., TPE marketing in the 1990's—The fourth generation of success (abs-F89#027) (1) 152
Oberth, Adolf E., Equilibrium swelling of polyurethane elastomers (1) 56
Oestman, Erik, see Mattson, Bengt (1) 23
Ogawa, Hiroshi, see Nakajima, Yukio (abs-F89#066) (1) 159
Ohtani, H., see Yamada T. (2) 191
Ohyama, T., Ueda, A., and Watanabe, H., Vibration isolation characteristics and fatigue properties of chemically-modified solution-polymerized rubber blended with NR (abs-F89#077) (2) 311
Okazaki, T., see Takino, Hiroshi (abs-F89#036) (2) 309
Okumoto, T., see Yamada T. (2) 191
Oshima, N., see Tsutsumi, F. (1) 8
Osredkar, U., see Adam, G. (5) 660
Outzs, L. L., see Jones, F. K. (abs-S90#058) (4) 646

Padovan, Joe, Schrader, Mark, and Parris, Joel, Buckling and postbuckling of elastomeric components: Tactile feel in electric switches (1) 135
Parker, Dane K., Colvin, Howard A., Weinstein, Arthur H., and Chen, Sun-Lin, Reactively curable rubbers—I: Diene elastomers with pendant isocyanate and/or hydroxyl functionality (4) 582
Parreira, H. C., see Kenney, J. F. (abs-S90#033) (4) 644
Parris, Joel, see Padovan, Joe (1) 135
Paul, D. Brenton, see Hanhela, Peter J. (2) 167
Pawlowski, Henry A., see Sezna, John A. (abs-F89#078) (2) 311
Payne, Marc T. and Wang, Y. L., Thermoplastic elastomers for the 1990's (abs-F89#102) (1) 161
Pendle, T. D., Production, properties, and stability of NR latices (2) 234
Perry, R. B., see Wells, Lisa A. (1) 66
Persson, Sture, see Mattson, Bengt (1) 23
Peters, L. A., Vicic, J. C., and Cain, D. E., Silica reinforcement of oil-field elastomers for improved explosive decompression resistance. Part B. (abs-S90#006) (4) 638
Picht, M., see Böttcher, H. (abs-S90#079) (4) 647
Pillow, John and Ennis, Royce E., ASCM—A new generation of chlorinated elastomers for high-temperature dynamic applications (abs-F89#019) (2) 308
Pouchelos, A., see Vondrácek, P. (2) 202
Puig, J. E., see Monroy, V. M., (abs-F89#119) (2) 312
Puleo, Annarose C. and Holden, G., Medical applications of styrenic thermoplastic elastomers (abs-S90#028) (4) 643

Qin, Chuan, Yin, Jinghua, and Huang, Baotong, Mechanical properties, structure, and morphology of natural-rubber/low-density-polyethylene blends prepared by different processing methods (1) 77
Queslel, J. P. and Mark, J. E., Theoretical equilibrium moduli and swelling extents for elastomers crosslinked in solution (1) 46

Randall, William R. and Jones, F. K., Thermoset air-intake ducts—An integrated development approach (abs-F89#017) (1) 151

Ranogajec, F., see Adam, G. (5) 660
Rapetski, Walter A., Compound processing *versus* the rubber industry (abs-F89#043) (2) 309
Reffner, John A., Fourier transform infrared microanalysis: A new tool for rubber analysis (abs-S90#021) (4) 641
Richter, Klaus-Peter, Plastic–rubber composite without adhesives (abs-S90#026) (4) 642
Rifi, M. R., Ficker, H. K., and Corwin, M. A., Flexomer Polyolefins: A bridge between polyethylene and rubbers (abs-S90#007) (4) 639
Rivera–Gastelum, M. J., see Monroy, V. M., (abs-F89#119) (2) 312
Roberts, A. D. and Brackley, C. A., Surface treatments to reduce friction: Rubber glove applications (5) 722
Robinson, K. J., see Ayub, A. L. (abs-F89#103) (1) 161
Robles–Vasquez, O., see Monroy, V. M., (abs-F89#119) (2) 312
Roland, C. M. and Warzel, M. L., Orientation effects in rubber double networks (2) 285
Roland, C. M. and Lee, G. F., Interaggregate interaction in filled rubber (4) 554
Roovers, Jacques and Toporowski, Paul M., Characteristic ratio and plateau modulus of 1,2-polybutadiene. A comparison with other rubbers (5) 734
Ruffing, C. T., see Larsen, Lars C. (abs-F89#041) (2) 309
Russell, David D., see Faulkner, Roger (abs-F89#090) (2) 311

Sakakibara, M., see Tsutsumi, F. (1) 8
Sakakibara, Mitsuhiko, see Hattori, Iwakazu (abs-S90#084) (4) 649
Sakashita, T., see Takino, Hiroshi (abs-F89#036) (2) 309
Sarkar, Amalendu and Bhowmick, Anil K., Measurement of adhesion between uncured and cured cap and base compounds of a tire by using a new test method (abs-F89#039) (1) 154
Sato, H., see Asada, A. (2) 181
Saya, Toshiaki, see Hashimoto, Kinro (abs-F89#105) (1) 162
Schaar, Rolland P., Computerization: Improving your competitiveness in the global market (abs-F89#052) (1) 156
Schrader, Mark, see Padovan, Joe (1) 135
Schramm, G., Potential and limits for the rheological characterization of raw rubber polymers and their compounds (abs-S90#082) (4) 648
Schuring, D. J. and Futamura, S., Rolling loss of pneumatic highway tires in the eighties (review) (3) 315
Scobbo, J. J., Jr., Prediction of bound-rubber modulus by Clausius–Mossotti approximation (4) 523
Scott, K. W., Wall, R. R., and Willoughby, B. G., Preparation of specialty elastomers by continuous reaction in a cavity transfer mixer (abs-F89#089) (1) 161
Šebenik, A., see Adam, G. (5) 660
Seeberger, D. B., A new safe thiuram, TBzTD (abs-F89#070) (1) 159
Seibert, Rebecca F., Selected chloropyrimidines and chlorotriazines as wire-adhesion promoters (abs-S90#077) (4) 647
Sezna, John, see Buhrin, Henri (abs-F89#074) (1) 160
Sezna, John A., Pawlowski, Henry A., and De Coninck, Dirk, New test results from rotorless curemeters (abs-F89#078) (2) 311
Sharman, S., see Gark, K. (abs-F89#046) (2) 309
Sloan, James M. and Gilbert, M. D., Properties of vulcanized natural rubber and *trans*-polyisoprene blends (abs-S90#051) (4) 645
Smirle, J., see Dunn, J. R. (abs-F89#042) (1) 155
Smith, Edward J., Elastomers in pharmaceutical packaging materials (abs-S90#029) (4) 643
Smith, T. L., Haidar, B., and Hedrick, J. L., Origin of the self-reinforcement in PDMS bimodal networks (2) 256
Spreutels, W., see Buhrin, Henri (abs-F89#074) (1) 160
Stacer, R. G., see Kugler, H. P. (4) 473
Stacer, R. G., Hübner, C., and Husband, D. M., Binder/filler interaction and the nonlinear behavior of highly-filled elastomers (4) 488
Steimle, C., see Kugler, H. P. (4) 473
Stenberg, Bengt, see Mattson, Bengt (1) 23
Stieber, Joseph F., see Hong, Sung W. (abs-F89#016) (1) 151
Suh, K. G., see Min, K. (abs-F89#109) (2) 312
Sumner, A. J. M., Oil migration in tires—A new technique (abs-F89#037) (1) 153
Sun, R. L., see Kenney, J. F. (abs-S90#033) (4) 644
Symes, Theodore E., see Hanhela, Peter J. (2) 167

Takahashi, Masaharu, Takita, Ken-ichi; and Hatakayama, Jun, Hot-air vulcanizable silicone foam composition (abs-F89#015) (1) 150

Takeda, T., see Gursky, L. (abs-F89#055) (2) 309
Takino, Hiroshi, Inada, S., Okazaki, T., and Sakashita, T., Microincompatible polymer blends for high-performance tire applications (abs-F89#036) (2) 309
Takita, Ken-ichi, see Takahashi, Masaharu (abs-F89#015) (1) 150
Tan, E. H., see Wong, H. H. (abs-S90#080) (4) 648
Tanaka, Yasuyuki, Mori, Makio; Ute, Koichi; and Hatada, Koichi, Structure and biosynthesis mechanism of rubber from fungi (1) 1
Taylor, C., see Marshall, A. J. (2) 244
Tessmer, William E., Back to the future—Global synthetic rubber trends (abs-F89#006) (1) 149
Thompson, Corley M., see Aminabhavi, Tejraj M. (review) (3) 451
Tinker, A. J., see Barker, L. R. (abs-F89#031) (2) 308
Tinker, Andrew J., see Krakowski, Frank J. (abs-F89#032) (2) 308
Tinker, Andrew J., Crosslink distribution and interfacial adhesion in vulcanized blends of NR and NBR (4) 503
Tomlinson, Richard W., see Beardsley, Kenneth P. (4) 540
Toporowski, Paul M., see Roovers, Jacques (5) 734
Touron, J. C., see de Livonniere, H. (abs-F89#033) (1) 152
Toyoda, A. H., see Asada, A. (2) 181
Tsuge, S., see Yamada T. (2) 191
Tsutsumi, F., Sakakibara, M., and Oshima, N., Structure aand dynamic properties of solution SBR coupled with tin compounds (1) 8
Tsutsumi, Fumio, see Hattori, Iwakazu (abs-S90#084) (4) 649

Ueda, A., see Ohyama, T. (abs-F89#077) (2) 311
Umeda, Itsuki, see Yoshida, Hirofumi (abs-F89#122) (2) 313
Upadhyay, Navnit B. and Warrach, W., Cut-growth-rate evaluation of antidegradants in model tire sidewall compounds (abs-F89#038) (1) 154
Ute, Koichi, see Tanaka, Yasuyuki (1) 1

Valsamis, L. N., Canedo, E. L., and Donoian, G. S., New methods in evaluating the performance of internal mixers (abs-F89#045) (1) 155
van der Velden, G. P. M. and Kelm, J., Quantitative analysis of vulcanized SBR/EPDM diblends. Magic angle spinning ^{13}C-NMR experiments at 80°C. (2) 215
Van Drumpt, J. D., Products and mechanism of the thermal reaction between 2,4-dichlorobenzoyl peroxide and *n*-pentadecane, an approximation of the crosslinking of silicone rubbers (1) 92
Veksli, Z., see Adam, G. (5) 660
Vicic, J. C., see Peters, L. A. (abs-S90#006) (4) 638
von Hellens, Walter, Some considerations for the application of EPDM in tire components (abs-F89#040) (1) 154
Vondrácek, P. and Pouchelos, A., Ammonia-induced tensile set and swelling in silica-filled silicone rubber (2) 202

Wall, D. W., see Dunn, J. R. (abs-S90#048) (4) 645
Wall, R. R., see Scott, K. W. (abs-F89#089) (1) 161
Wang, H. C., see Cheng, D. M. (2) 265
Wang, Y. L., see Payne, Marc T. (abs-F89#102) (1) 161
Ward, Robert S., Biomedical applications of polyurethane elastomers (abs-S90#015) (4) 640
Warrach, W., see Upadhyay, Navnit B. (abs-F89#038) (1) 154
Warzel, M. L., see Roland, C. M. (2) 285
Watanabe, H., see Ohyama, T. (abs-F89#077) (2) 311
Watanabe, Junichiro, see Yoshida, Hirofumi (abs-F89#122) (2) 313
Watanabe, M., see Makino, Kenya (5) 713
Weinstein, Arthur H., see Parker, Dane K. (4) 582
Wells, Lisa A., Cassidy, P. E., Aminabhavi, T. M., and Perry, R. B., A study of permeation and diffusion of aqueous salt solutions through polyurethane and polysiloxane and their laminates (1) 66
Willoughby, B. G., see Scott, K. W. (abs-F89#089) (1) 161
Winchell, K., see Darling, B. (abs-S90#001) (4) 637
Winkler, E. M. and de Jong, M. C., Finite-element calculations on the stress of an aramid cord in a clamped and elongated Goodrich block fatigue specimen (2) 223
Wolff, Siegfried and Donnet, Jean–Baptiste, Characterization of fillers in vulcanizates according to the Einstein–Guth–Gold equation (1) 32
Wolff, Siegfried and Arnold, Ulf-Erik, How precise is the correlation between carbon black and vulcanizate properties? (abs-F89#114) (2) 312
Wong, C. P., see Giustino, J. M. (abs-F89#064) (2) 310

Wong, H. H. and Newman, S., Off-line quality control: The philosophy and its implications (abs-S90#078) (4) 647
Wong, H. H., Heuther, R., and Tan, E. H., Caution: This specification is based on linear regression (abs-S90#080) (4) 648
Wong, Henry H. and Campomizzi, E. C., In search of the optimal compound (abs-F89#053) (1) 156
Wong, Henry H. and Francis, A. E., Experimental design for the manager (abs-F89#131) (1) 165
Wooten, J., see Darling, B. (abs-S90#001) (4) 637
Worm, A. T., see Grootaert, W. M. (4) 516

Xu, P. and Mark, J. E., Biaxial extension studies using inflation of sheets of unimodal model networks (2) 276

Yamada, Kazuhiro and Funayama, Yoshinori, FTIR spectroscopic studies of miscible polymer blends (5) 669
Yamada, T., Okumoto, T., Ohtani, H., and Tsuge, S., Structural characterization of ethylene–propylene–diene rubbers by high-resolution pyrolysis gas chromatography (2) 191
Yeoh, O. H., Characterization of elastic properties of carbon-black-filled rubber vulcanizates (5) 792
Yin, Jinghua, see Qin, Chuan (1) 77
Yoshida, Hirofumi, Watanabe, Junichiro; Zama, Yoshiaki; and Umeda, Itsuki, Properties of Silicone/fluoroelastomer composite (abs-F89#122) (2) 313
Young, D. G., Application of fatigue methods based on fracture mechanics for tire compound development (4) 567

Zama, Yoshiaki, see Yoshida, Hirofumi (abs-F89#122) (2) 313
zur Nedden, Klaus, Diedrich, K. M., and Huhn, G., The technology of polyoctenamers in blends with natural rubber (abs-F89#035) (1) 153

SUBJECT INDEX*

Abrasion resistance, of tire treads, optimized by microincompatible blend (abs-F89#036) (2) 309
Accelerated aging tests, relevance to service performance (abs-F89#031) (2) 308
Accelerator, diamine diisocyanate zinc, to reduce nitrosamine problem (abs-S90#053) (4) 645
Accelerator, secondary, effect of level on NR/BR blends (abs-F89#032) (2) 308
Accelerator, with lowered toxicity (abs-F89#070) (1) 159
Acoustic problems, of tires, boundary-element method and modal analysis (abs-F89#066) (1) 159
Acrylic adhesives, pressure-sensitive, for application to skin (abs-S90#033) (4) 644
Adhesion, between uncured and cured cap and base compounds in tires (abs-F89#039) (1) 154
Adhesion, interfacial, in vulcanized blends of NR and NBR (4) 503
Adhesion, of rubber to brass-coated wire, promoted by chloropyrimidines (abs-S90#077) (4) 647
Aging, accelerated, relevance of tests to service performance (abs-F89#031) (2) 308
Aging, of belt-skim rubbers in passenger tires (5) 698
Aging, of tire parts during service (5) 683
Air-intake ducts, performance simulation studies (abs-F89#017) (1) 151
Analysis, of organic additives in uncured rubber compound, by MS/MS (2) 298
Antidegradants, in model tire sidewalls, effect on cut-growth rate (abs-F89#038) (1) 154
Antioxidants, nonstaining phenolic, selection and evaluation (abs-S90#054) (4) 646
Antiozonant, nonstaining, for EPDM/NR stock (abs-F89#072) (1) 160
Antiozonants, for NR, SBR, BR, and CR (review) (3) 426
ASCM, chlorinated elastomer for automotive timing belts (abs-F89#019) (2) 308
Asphalt binders, polymer-modified (abs-S90#002) (4) 637
Asphalt emulsion, CR-modified, for roofs and roads (abs-S90#003) (4) 638
Asphalt membranes, case histories (abs-S90#001) (4) 637
Asphalt modification, for road construction (abs-S90#005) (4) 638
ATF (automatic transmission fluid), degradant of polymers (abs-S90#081) (4) 648
Automated control, of internal mixers (abs-F89#062) (1) 158
Automotive elastomer, silicone/fluoroelastomer composite (abs-F89#122) (2) 313
Automotive elastomers, effect of heat generation on performance (abs-S90#058) (4) 646

Bearings, for earthquake protection (abs-F89#018) (1) 151
Belt angle, adjusting with increased dynamic modulus tread (abs-F89#016) (1) 151
Belts, power transmission, new chlorinated elastomer for (abs-F89#019) (2) 308
BIIR and IR, spectroscopic studies of structure (2) 265
Bimodal networks in PDMS, effect of segmental mobility (2) 256
Binder/filler interaction, in highly-filled elastomers (4) 488
Biomedical applications, of elastomers (abs-S90#011) (4) 639
Biomedical applications, of polyurethane elastomers (abs-S90#015) (4) 640
Biosynthesis mechanism, of rubber from fungi (1) 1
Birefringence, low levels in NR double network formation (2) 285
Bitumen membranes, modified, case histories (abs-S90#001) (4) 637
Black level and distribution, effect on NR/BR blends (abs-F89#032) (2) 308
Blend, of IIR and EPDM, for inner tubes (abs-S90#050) (4) 645
Blends, of elastomers, resolution of properties by stress–strain modelling (5) 779
Blends, of EPDM and elastomers, for heat-resistant engine mounts (abs-S90#048) (4) 645
Blends, of miscible polymers, studied by FTIR spectroscopy (5) 669
Blends, of modified solution-polymerized rubber and NR, for vibration isolation (abs-F89#077) (2) 311
Blends, of NR and polyoctenamers (abs-F89#035) (1) 153
Blends, of NR and NBR, crosslink distribution and interfacial adhesion (4) 503
Blends of NR and BR, effect of polymer ratios, black, and secondary-accelerator level (abs-F89#032) (2) 308
Blends, of NR with synthetic rubbers (abs-F89#010) (1) 149
Blends, of NR with *trans*-polyisoprene, properties of vulcanizate (abs-S90#051) (4) 645
Blends, of SBR and EPDM, magic angle spinning C13-NMR (2) 215
Bonding, of elastomer to polymeric composite

* Prepared by Lois W. Brock.

without adhesive (abs-S90#025) (4) 642; (abs-S90#026) (4) 642.
Book Review: "The American Synthetic Rubber Research Program," Peter J. T. Morris (4) G71
Bound-rubber modulus, predicting through Clausius–Mossotti approximation (4) 523
Boundary-element method, in acoustic problems of tires (abs-F89#066) (1) 159
Box-Behnken design, for evaluating polymerization variables (abs-F89#130) (1) 164
BR, high *cis*-, prepared by neodymium catalyst (abs-S90#084) (4) 649
BR, low-molecular-weight, plateau modulus compared with that of other polymers (5) 734
Brace, for correcting scoliosis, with NR pneumatic pads (abs-S90#031) (4) 643
Buckling, of elastomeric components, influence on tactile feel of electric switch (1) 135

Calender lines, for processing rubber (abs-F89#120) (1) 162
Carbon black, correlation with vulcanizate properties (abs-F89#114) (2) 312
Carbon black, future markets (abs-F89#048) (1) 155
Carbon black, surface properties of (5) 747
Carbon-black-filled polyethylacrylate rubber, to study filler–rubber interaction (1) 110
Carbon-black-filled vulcanizates, elastic properties (5) 792
Carbon-black-filled vulcanizates, swollen, dynamic mechanical analysis (5) 651
Carbon-black-loaded elastomer blends, stress–strain modelling of (5) 779
Carbon-black-loaded rubber, of high resistivity (review) (3) 451
Career opportunities, in the 1990's (abs-F89#050) (1) 156
Cavitation, in rubber, unsolved problems (3) G49
Cavity transfer mixer, design and use for postpolymerization modification (abs-F89#089) (1) 161
Characteristic ratio (*cis : trans*), of 1,2-polybutadiene, and plateau modulus (5) 734
Chemical composition distribution (CCD), of NBR (2) 181
Chemical exposure, guide for small companies (abs-S90#069) (4) 646
Chloropyrimidines, as wire-adhesion promoters (abs-S90#077) (4) 647
Chlorotriazines, as wire-adhesion promoters (abs-S90#077) (4) 647
Chromatography, gas, high-resolution pyrolysis, for characterizing EPDM (2) 191
Chromatography, liquid, for composition distribution of NBR (2) 181
CIIR, star-branched, with improved processability, compounding, and curing (abs-F89#055) (2) 309
Clausius–Mossotti approximation, for predicting bound-rubber modulus (4) 523
Clay, platy, for increased flex fatigue in elastomers (abs-F89#097) (2) 311
CM (chlorinated polyethylene), for automotive and electrical industries (abs-F89#106) (1) 162
Colloidal stability, of NR latex (2) 234
Compensation levels, changes (abs-F89#050) (1) 156
Competition, in the global rubber market, computerization as an aid to improve (abs-F89#052) (1) 156
Components manufacture, role of raw materials and machinery (abs-F89#060) (1) 158
Compound processing, information available to rubber industry (abs-F89#043) (2) 309
Compounding, of rubber, continuous (abs-F89#063) (1) 158
Computer, personal, for analyzing information from an internal mixer (abs-F89#046) (2) 309
Computerization, as it affects competition in the global market (abs-F89#052) (1) 156
Computers, for evaluating test results (abs-S90#079) (4) 647
Continuous compounding, of rubber (abs-F89#063) (1) 158
CR manufacturing, with cumulative sum statistical process control (abs-F89#125) (1) 162
CR-modified asphalt emulsion, for roofs and roads (abs-S90#003) (4) 638
CR-polymers, new grades with optimized structure–property relationship (abs-F89#057) (1) 157
Crosslink distribution, in vulcanized blends of NR and NBR (4) 503
Crosslinked elastomers, direct and indirect observations of (review) (3) 407
Crosslinked elastomers, equilibrium moduli and swelling, theoretical (1) 46
Crosslinking, of polymers, with multifunctional peroxides (abs-F89#068) (1) 159
Crosslinks, in diene vulcanizates, effect of type on mechanical properties (5) 806
CSM and ACSM, for high-temperature automotive use (abs-S90#058) (4) 646
Cumulative sum (CUSUM) statistical process control, to detect shift from target (abs-F89#125) (1) 163
Curemeter, oscillating-disk, for monitoring two-part polysulfide (2) 167
Curemeters, rotorless, for measuring dynamic properties of rubber (abs-F89#078) (2) 311
Curing agents, for silicone foam (abs-F89#015) (1) 150
Curing bladders, of IIR, extending life and performance (abs-F89#041) (2) 309
Curing system, nonpostcure, for polyacrylate elastomers (abs-F89#071) (1) 160
Cut-growth rate evaluation, in model tire sidwalls, influence of antidegradants (abs-F89#038) (1) 154

Data processing, in rubber testing (abs-S90#079) (4) 647
Degradation, of polymers by automatic transmission and power steering fluids (abs-S90#081) (4) 648
Designing with rubber, using finite-element analysis (review) (3) 368
Diamine diisocyanate zinc, accelerator to reduce nitrosamine problem (abs-S90#053) (4) 645

Diene elastomers, with pendant isocyanate and/or hydroxyl groups (4) 582
Diene rubbers, in tire parts, evaluating aging during service (5) 683
Differential scanning calorimetry, introductory review (abs-F89#080) (1) 160
Double-bond unsaturation, in HNBR, methods for determining (2) 244
Dynamic mechanical analysis, of black-filled swollen vulcanizates (5) 651
Dynamic mechanical analysis, potential errors in testing (abs-F89#075) (1) 160

Earthquake protection, using high-damping rubber bearings (abs-F89#018) (1) 151
Effectiveness factor, in Einstein–Guth–Gold equation for fillers in vulcanizates (1) 32
Einstein–Guth–Gold equation, for characterizing fillers in vulcanizates (1) 32
Elasticity, of polymers, statistical mechanics (abs-S90#065) (4) 646
Elastomers, diene, reactively curable, with pendant isocyanate and/or hydroxyl (4) 582
Electric switches, tactile-feel response analysis (1) 135
Electrical resistivity, of carbon-black-loaded rubbers (review) (3) 451
Engine mounts, resilient, from heat-resistant EPDM blends (abs-S90#048) (4) 645
ENR (epoxidized natural rubber), developments (abs-F89#091) (1) 161
Environmental conditions, effects on fluroroelastomers (abs-F89#058) (1) 157
EPDM, blend with IIR for inner tubes (abs-S90#050) (4) 645
EPDM, heat-resistant blends, for resilient engine mounts (abs-S90#048) (4) 645
EPDM, in tire components (abs-F89#040) (1) 154
EPDM, oil-extended, in radial tire sidewalls, measuring oil migration in (abs-F89#037) (1) 153
EPDM, polymer processing as related to structure and rheology (4) 540
EPDM, polymers for automotive body sealing systems (abs-S90#009) (4) 639
EPDM, structural characterization by high-resolution pyrolysis gas chromatography (2) 191
EPM rubber, prepared using soluble titanium (III) catalyst (5) 713
Equilibrium moduli and swelling, for elastomers crosslinked in solution (1) 46
Equilibrium swelling, of polyurethane elastomers (1) 56
Ethylene, polymerization with propylene using soluble titanium (III) catalyst (5) 713
Experimental design, for the manager (abs-F89#131) (1) 165
Experimental design, for optimal polymerization conditions (abs-F89#130) (1) 164
Explosive decompression resistance, of silica-filled oil-field elastomers (abs-S90#006) (4) 638
Extrusion line, triplex, analyzing flow through (abs-F89#059) (2) 310

Factice, in NR mixes (abs-S90#023) (4) 642
Factorial design experiments, for developing optimal compounds (abs-F89#053) (1) 156
FAN (Flow Analysis Network), for flow channel design (abs-F89#059) (2) 310
Fatigue methods, based on fracture mechanics, for tire compound development (4) 567
Fatigue specimen, aramid cord, stress calculation by finite-element analysis (2) 223
Filled compounds, tensile stress–strain measurements (4) 624
Filled rubber, interaggregate interaction (4) 554
Filler–rubber interaction, in carbon-black- and silica-filled compounds (1) 110
Fillers, effect on fluoroelastomers (abs-F89#058) (1) 157
Fillers, in vulcanizates, characterized by Einstein–Guth–Gold equation (1) 32
Fillers, nonblack, applications today and tomorrow (abs-F89#004) (1) 156
Finite-element analysis, in design with rubber (review) (3) 368
Finite-element calculations, on aramid cord in a fatigue specimen (2) 223
Flex fatigue, of elastomers, effect of platy filler (abs-F89#097) (2) 311
Flexomer polyolefins, properties and end-use applications (abs-S90#007) (4) 639
Flory–Erman theory, of rubber elasticity, applied to model PDMS networks (2) 276
Flow Analysis Network method, using internal mixer with intermeshing rotors (abs-F89#109) (2) 312
Flow, of elastomer in internal mixer with intermeshing rotors, modelling (abs-F89#109) (2) 312
Fluorocarbon elastomer, for high-temperature sealing against aggressive motor oils (4) 516
Fluoroelastomers, effect of environmental conditions and fillers on (abs-F89#058) (1) 157
Fluorosilicone elastomers, use with methanol-containing fuels (abs-F89#056) (1) 157
Fourier transform infrared analysis, for rubber (abs-S90#021) (4) 641
Fracture, internal, in rubber (3) G49
Fracture, of elastomers, effect of platy filler (abs-F89#097) (2) 311
Fracture mechanics, in developing tire compounds (4) 567
Free energy of mixing in polymers, as predicted by SANS method (1) 98
Friction, surface treatment of rubber gloves to reduce (5) 722
FTIR, for characterizing structure of IR and BIIR (2) 265
FTIR spectroscopy, of miscible polymer blends (5) 669
Fuel-resistant elastomers (abs-F89#056) (1) 157
Fungi, rubber from, biosynthesis (1) 1

Gent, Alan N., Charles Goodyear Medalist—1990. biog. (3) G47
Global synthetic rubber trends (abs-F89#006) (1) 149
Gloves, rubber, surface treatments to reduce friction (5) 722
Goodrich Block Fatigue Test, predicting cord stress at given elongation in (2) 223

Grafting, by redox and by gamma radiation, to utilize waste rubber (5) 660
Grafting, of maleic anhydride, to IIR, effect of method on properties (abs-F89#090) (2) 311
Gum elastomers, tensile stress–strain measurements (4) 624

Haake–Defo Elastometer, for rheological characterization of rubber (abs-S90#082) (4) 648
Health-care products, of natural latex, economic factors for the health-care industry (abs-S90#012) (4) 640
Heat generation, effect on automotive elastomers (abs-S90#058) (4) 646
Hexene-1, copolymer with 5-methyl-1,4-hexadiene, in artificial spinal disk (abs-S90#032) (4) 643
High-temperature elastomers, for automotive use (abs-S90#058) (4) 646
Highly-filled elastomers, binder/filler interaction (4) 488
HNBR (hydrogenated NBR), determining degree of hydrogenation (2) 244
HSN, for high-temperature automotive use (abs-S90#058) (4) 646
Hydrogenation, determining degree in HNBR (2) 244
Hysteresis, of solution SBR modified with tin compounds (1) 8

IIR, blend with EPDM for inner tubes (abs-S90#050) (4) 645
IIR, in the medical industry (abs-S90#013) (4) 640
IIR, noncatalytic grafting of maleic anhydride for improved properties (abs-F89#090) (2) 311
IIR, star-branched, with improved processability, compounding, and curing (abs-F89#055) (2) 309
IIR curing bladders, extending life and performance (abs-F89#041) (2) 309
Indonesia, NR industry in (abs-F89#011) (1) 150
Information, for rubber processors (abs-F89#043) (2) 309
Injection molding, with corotating conjugate twin-screw feed injector (abs-F89#113) (1) 162
Inner tubes, from blend of IIR and EPDM (abs-S90#050) (4) 645
Interaggregate interaction, of filled rubber (4) 554
Interlaboratory comparisons, of Mooney viscosity (abs-F89#127) (1) 164
Internal heat buildup, in rollers of NBR, measuring with Goodrich Flexometer (abs-S90#018) (4) 641
Internal mixer, personal computer for analyzing information from (abs-F89#046) (2) 309
International Rubber Science Hall of Fame, 1989, (Merton Leland Studebaker) (2) G27
Ion size, in water permeation through polyurethane, polysiloxane, and laminates (1) 66
IR, blend with V-BR [poly(*cis*-butadiene-co-1,2-vinyl butadiene)], miscibility (5) 669
IR-technique, for thermo-oxidative degradation of thick-walled rubber material (1) 23
IR and BIIR, spectroscopic studies of structure (2) 265
Isothermal flow, of generalized Newtonian fluid in narrow gap, simulation (abs-F89#059) (2) 310

Kraus, Gerard, recipient of Melvin Mooney Distinguished Technology Award (3) G39

L-HSN, liquid highly saturated nitrile elastomers (abs-F89#105) (1) 162
Laminates, of polyurethane and polysiloxane, permeation and diffusion of solutions (1) 66
Lattimer, Robert P., recipient of Rubber Division Sparks–Thomas Award (3) G39
Linear regression, for specifications, possible misinterpretation (abs-S90#080) (4) 648
Liquid highly saturated nitrile elastomers, plasticizer for high temperature use (abs-F89#105) (1) 162
Liquid natural rubber (LNR), by chemical depolymerization of NR (abs-F89#033) (1) 152
Low-molecular-weight 1,2-polybutadienes, characteristic ratio and plateau modulus (5) 734
Low-temperature flexibility, using silicone/fluoroelastomer composite (abs-F89#122) (2) 313

Maleinized butyl rubber, effect of grafting method on properties (abs-F89#090) (2) 311
Manufacturing trends (abs-F89#050) (1) 156
Market share, of various types of synthetic rubber (SBR, BR, EPDM, nitrile, TPEs, SR latices, and specialty rubbers (abs-F89#006) (1) 149
Marketing, of rubber chemicals, effect of merging European countries (abs-S90#055) (4) 646
Material screening process, integrated, for air-intake ducts (abs-F89#017) (1) 151
Measurement variability, effect of interpretation of analytic data (abs-F89#126) (1) 163
Mechanical properties, of diene vulcanizates, as affected by type of crosslinks (5) 806
Medical applications, of hexene-1 copolymer with 5-methyl-1,4-hexadiene (abs-S90#032) (4) 644
Medical applications, of IIR (abs-S90#013) (4) 640
Medical applications, of STPE (abs-S90#028) (4) 643
Medical devices, from elastomers (abs-S90#030) (4) 643
Medical grades, of elastomers (abs-S90#011) (4) 639
Medical markets, for silicones, historical survey (abs-S90#014) (4) 640
Medical-grade adhesive, acrylic, for application to skin (abs-S90#033) (4) 644
Methanol-containing fuels, use of fluorosilicone rubbers with (abs-F89#056) (1) 157
Mica, for increased flex fatigue in elastomers (abs-F89#097) (2) 311
Micro weighing, of compound ingredients (abs-F89#061) (1) 158
Microanalysis, of rubber by Fourier transform infrared technique (abs-S90#021) (4) 641
Microincompatible polymer blends, for high-performance PC tire treads (abs-F89#036) (2) 309
Miscibility, of IR and V-BR, studied with FTIR and DSC (5) 669

Mixer, cavity transfer, for continuous preparation of specialty elastomers (abs-F89#089) (1) 161
Mixer, internal, with intermeshing rotors, modelling elastomer flow (abs-F89#109) (2) 312
Mixers, internal, automated control (abs-F89#062) (1) 158
Mixing efficiency, and quality of synthetic rubber (abs-F89#044) (1) 155
Mixing parameters, as criteria in evaluating performance of high-intensity mixers (abs-F89#045) (1) 155
Modal analysis, in acoustic problems of tires (abs-F89#066) (1) 159
Model, for equilibrium swelling of randomly crosslinked polyurethane elastomers (1) 56
Modelling, of elastomer flow in internal mixer with intermeshing rotors (abs-F89#109) (2) 312
Modelling requirements, for tactile-feel response in electric switches (1) 135
Moduli, theoretical equilibrium, for elastomers crosslinked in solution (1) 46
Modulus, bound-rubber, predicting through Clausius–Mossotti approximation (4) 523
Modulus, plateau, and characteristic ratio (*cis : trans*), in 1,2-polybutadiene (5) 734
Monitoring process of mixing polymers, by a personal computer (abs-F89#046) (2) 309
Mooney viscosity, controlling measurement at multiple sites (abs-F89#127) (1) 164
Mooney viscosity, studied for effect of measurement variability (abs-F89#126) (1) 163
Mooney–Rivlin equation, limitations for black-filled vulcanizate (5) 792
Morphology, of NR-PE blends made by different processing methods (1) 77
Motor mounts, of chemically-modified solution-polymerized SBR blended with NR (abs-F89#077) (2) 311
Motor oils, sealing off with novel fluorocarbon elastomer (4) 516
MS/MS (tandem MS), for analysis of organic additives in uncured rubber compound (2) 298

Natural-latex health-care products, economic factors for the small company (abs-S90#012) (4) 640
NBR, composition distribution studied by high-performance liquid chromatography (2) 181
NBR, dynamic properties studied with Goodrich Flexometer (abs-S90#018) (4) 641
NBR/ACM, vulcanizable precured alloys for reactive processing (4) 599
Neodymium 2-ethylhexanoate in catalyst, for preparing high-*cis*-BR (abs-S90#084) (4) 649
Network topology, in polyurethane elastomers (1) 56
Nitrosamine, in rubber compounds, reducing by use of diamine diisocyanate zinc (abs-S90#053) (4) 645
NMR, solid-state, of elastomers (review) (3) 407
NMR, ^{13}C magic angle spinning, for blends of SBR and EPDM (2) 215
Nonlinear behavior, of highly-filled elastomers (4) 488
NR, blends with low-density PE, properties and structure (1) 77
NR, blends with *trans*-polyisoprene, properties of vulcanizates (abs-S90#051) (4) 645
NR, developments in science and technology during last decade (abs-F89#010) (1) 149
NR, in blends with polyoctenamers (abs-F89#035) (1) 153
NR, low-molecular-weight, from field latex (abs-F89#033) (1) 152
NR, orientation effects in double networks (2) 285
NR, technically specified (TSR) for tires (abs-F89#011) (1) 150
NR, viscosity-stabilized, processing (abs-F89#034) (1) 153
NR/BR blends, effect of polymer ratios, black level, secondary accelerator level (abs-F89#032) (2) 308
NR cylinders, thermo-oxidative degradation by IR-technique and x-ray tomography scanning (1) 23
NR latices, centrifuged concentrates (2) 234

Oil migration, in tires, measuring (abs-F89#037) (1) 153
Oil-field elastomers, silica-reinforced, optimum loading study (abs-S90#006) (4) 638
Optimum loading study, of silica in oil-field elastomers (abs-S90#006) (4) 638
Orientation, in NR, through double network formation (2) 285
Oxygen, influence on tear strength of elastomers (NR, SBR, BR) (1) 123
Ozone, protection of rubber against (review) (3) 426
Ozone cracking, mechanism (review) (3) 426

PDMS, poly(dimethylsiloxane, self-reinforcement in bimodal networks (2) 256
PE, chlorosulfonated, for air-intake ducts (abs-F89#017) (1) 151
PE, low-density, blends with NR, properties and structure (1) 77
n-Pentadecane, in model curing system for silicone rubber (1) 92
Peptizers, for NR (abs-S90#022) (4) 642
Permeation and diffusion, through polyurethane and polysiloxane and laminates (1) 66
Peroxides, multifunctional, for crosslinking polymers (abs-F89#068) (1) 159
Pharmaceutical packing, using elastomers (abs-S90#029) (4) 643
Phase behavior, of polymer blends (1) 98
Phenol–formaldehyde resin, oil-modified, with bicyclic oxazolidone, for tire cure (abs-F89#016) (1) 151
Plastic–rubber bonding, without adhesive (abs-S90#025-026) (4) 642
Plasticizer, for high temperature use, from L-HSN (abs-F89#105) (1) 162
Plastics industry, as it affects the rubber industry in the 1990's (abs-F89#051) (1) 156
PMA (polymer-modified asphalt) binders (abs-S90#002) (4) 637
Poisson's ratio, in elastomers (4) 473

Polyacrylate elastomers with reactive chlorine, curing with nonpostcurative agent (abs-F89#071) (1) 160
Poly(carbonate-amide) thermoplastic elastomers (abs-F89#104) (1) 162
Polychlorobiphenyls (PCBs) formed during cure of silicone rubbers (1) 92
Polychloroprenes, with optimized structure–property relationship (abs-F89#057) (1) 157
Polyethylacrylate rubber, in study of filler–rubber interaction (1) 110
Polyethylene, chlorinated, for wire and cable, hose, and sponge (abs-F89#106) (1) 162
Polyisoprene, blend of *cis*- and *trans*-, x-ray crystallography study (abs-F89#013) (1) 150
Polyisoprene, *cis*, crosslinked in solution, equilibrium moduli and swelling (1) 46
Polyisoprenyl pyrophosphate, from fungi, in biosynthesis of NR (1) 1
Polymer blends, SANS for studying phase behavior in (1) 98
Polymer modification, in cavity transfer mixer (abs-F89#089) (1) 161
Polymer ratios, effect on NR/BR blends (abs-F89#032) (2) 308
Polyoctenamers, in blends with NR (abs-F89#035) (1) 153
Polysiloxane, permeation and diffusion of salt solutions (1) 66
Polystyrene, deuterated/poly(vinyl methyl ether) system, predicting mixing energy (1) 98
Polysulfide sealant, two-part, monitoring with oscillating-disk curemeter (2) 167
Polyurethane, permeation and diffusion of salt solutions (1) 66
Polyurethane elastomers, biomedical applications (abs-S90#015) (4) 640
Polyurethane elastomers, equilibrium swelling (1) 56
Power steering fluids, degradant of polymers (abs-S90#081) (4) 648
PPE (polyphenylene ether), co-curing with elastomers (abs-S90#026) (4) 642
Process development, growth (abs-F89#050) (1) 156
Processing, of EPDM polymers, as related to structure and rheology (4) 540
Processing, viscosity-stabilized NR (abs-F89#034) (1) 153
Processing agents, organo-silicone, for extending life of butyl curing bladders (abs-F89#041) (2) 309
Processing methods, as they affect properties and morphology of NR/PE blends (1) 77
Product release, statistically-based system (abs-F89#128) (1) 164
Pyrolysis gas chromatography (PyGC), for characterizing EPDM (2) 191

Quality, of synthetic rubber as related to mixing efficiency (abs-F89#044) (1) 155
Quality control, oft-line, based on technology and economics (abs-S90#078) (4) 647
Quality improvement, in components manufacture (abs-F89#060) (1) 158

Radial design, of motorcycle tires (abs-F89#065) (1) 158
Rubber Division, ACS, Best Paper Awards, Fall 1989 (4) G58
Rubber Division, ACS, Best Paper Awards, Spring 1989 (1) G13
Rubber Division, ACS, Charles Goodyear Medalist—1990, Alan N. Gent (3) G47
Rubber Division, ACS, Editor appointed (C. Michael Roland) (5) G79
Rubber Division, ACS, George Stafford Whitby Award, 1990, to Howard L. Stephens (3) G37
Rubber Division, ACS, Guide for Authors (3) G40
Rubber Division, ACS, History (5) G81
Rubber Division, ACS, Information in previous issues (1) G11
Rubber Division, ACS, Library and Information Services (1) G14
Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1990, to Gerard Kraus (3) G38
Rubber Division, ACS, Officers and Administration (3) G31
Rubber Division, ACS, Policy on technical papers presented (for) Rubber Division (1) G16
Rubber Division, ACS, Program for 1990 Fall Meeting (4) G59
Rubber Division, ACS, Program for 1990 Spring Meeting (1) G3
Rubber Division, ACS, Sparks–Thomas Award, 1990, to Robert P. Lattimer (3) G39
Reactive processing, of NBR/ACM system (4) 599
Reinforcement, of rubbers by black, effect of swelling on reinforcement mechanism (5) 651
Relaxation measurements, with MV2000 Mooney Viscometer (abs-F89#074) (1) 160
Rheological study, of high-styrene content solution SBRs (abs-F89#119) (2) 312
Rheological testing, of rubbers, limits (abs-S90#082) (4) 648
Roads, from modified asphalt (abs-S90#005) (4) 638
Roads, with CR-modified asphalt emulsion (abs-S90#003) (4) 638
Roland, C. Michael, new editor (5) G79
Rolling loss, of highway tires (review) (3) 315
Rolling resistance, of tires from various SBRs (abs-S90#075) (4) 646
Rolling resistance, of tread compounds, predicted by Yerzley oscillograph (abs-F89#064) (2) 310
Roofs, with CR-modified asphalt emulsion (abs-S90#003) (4) 638
Rotor design, for high-intensity batch mixers, improved (abs-F89#045) (1) 155
Rubber chemicals, marketing, effect of merging European countries (abs-S90#055) (4) 646
Rubber elasticity, molecular theories of (2) 276
Rubber industry, in the 1990's (abs-F89#051) (1) 156
Rubber industry, restructuring in U.S. (abs-F89#025) (1) 152
Rubber markets, global, use of computerization to enhance (abs-F89#052) (1) 156

Sarlink 2000, family of TPEs (abs-F89#103) (1) 161
SBB (Star-Branched-Butyl), with improved pro-

cessability, compounding and curing (abs-F89#055) (2) 309
SBR, high-styrene content solution-polymerized, rheological study (abs-F89#119) (2) 312
SBR, solution, coupled with tin compounds, structure and dynamic properties (1) 8
SBR/EPDM blends, magic angle spinning ^{13}C-NMR experiments at 80°C. (2) 215
SBRs, evaluation for tire treads (abs-S90#075) (4) 646
Scoliosis, use of NR pneumatic pads in brace to correct (abs-S90#031) (4) 643
Scrap rubber, grafting by redox method and by gamma irradiation (5) 660
Sealing, against aggressive motor oils, using novel fluorocarbon (4) 516
Sealing systems, for automotive bodies, from new EPDMs (abs-S90#009) (4) 639
Segmental mobility, effect on strength of bimodal networks of PDMS (2) 256
Silica reinforcement, of ENR (abs-F89#091) (1) 161
Silica-filled polyethylacrylate rubber, to study filler–rubber interaction (1) 110
Silica-reinforced elastomers, for oilfield use, optimum loading study (abs-S90#006) (4) 638
Silicone foam, hot-air vulcanizable (abs-F89#015) (1) 150
Silicone rubber, model of crosslinking mechanism with 2,4-dichlorobenzoyl peroxide (1) 92
Silicone rubber, silica-filled, tensile set and swelling induced by ammonia (2) 202
Silicone/fluoroelastomer composite, with good low-temperature flexibility (abs-F89#122) (2) 313
Silicones, for medical markets, historical survey (abs-S90#014) (4) 640
Silylated benzoyl peroxides, for curing silicones (abs-F89#015) (1) 150
Skid resistance, of tire treads, optimized by blend of microincompatible polymers (abs-F89#036) (2) 309
Small-angle neutron scattering, for studying phase behavior of polymer blends (1) 98
Solution SBR, coupled with tin compounds, structure and dynamic properties (1) 8
Specialty elastomers, continuous preparation in cavity transfer mixer (abs-F89#089) (1) 161
Specialty elastomers, studied with solid-state NMR (review) (3) 407
Specialty elastomers, ozone protection for (review) (3) 426
Specifications, based on linear regression, possible misinterpretation (abs-S90#080) (4) 648
Spectroscopic studies of structure of IR and BIIR (2) 265
Spinal disk, artificial, from hexene-1 copolymer with 5-methyl-1,4-hexadiene (abs-S90#032) (4) 644
Spink, Peter W., Rubber Division Chairman, biog. sketch (1) G2
Standard Indonesian Rubber (SIR), for tires (abs-F89#011) (1) 150
Statistical mechanics, of polymer elasticity (abs-S90#065) (4) 646
Statistical process control, in mechanical and process industries (abs-F89#124) (1) 163
Statistical process control, of the batch process (abs-F89#125) (1) 163
Statistically-based product release system (abs-F89#128) (1) 164
Stephens, Howard L., recipient of George Stafford Whitby Award (3) G37
STPEs (styrenic thermoplastic elastomers), for medical applications (abs-S90#028) (4) 643
Strain-energy function, for characterizing filled vulcanizates (5) 792
Strain-energy functions, in designing with rubber (review) (3) 368
Strain-induced crystallization, in *cis-* and *trans*-polyisoprene blends (abs-F89#013) (1) 150
Strain-induced crystallization, in NR double networks (2) 285
Stress–strain modelling, to resolve elastomer blend properties (5) 779
Structural study, of high-styrene-content solution SBRs (abs-F89#119) (2) 312
Structure and rheology, of EPDM polymers, relation to processing (4) 540
Structure–property relationship, optimized, in new polychloroprene grades (abs-F89#057) (1) 157
Studebaker, Merton Leland, biog., International Rubber Science Hall of Fame, 1989 (2) G27
Surface properties, of carbon black (5) 747
Swelling, effect on dynamic mechanic properties of black-filled vulcanizates (5) 651
Swelling, equilibrium, polyurethane elastomers (1) 56
Swelling, in silica-filled silicone rubber, induced by ammonia (2) 202
Swelling, of fluorosilicone elastomers in methanol-containing fuels (abs-F89#056) (1) 157
Swelling, theoretical equilibrium, for elastomers crosslinked in solution (1) 46

Tack, between cap and base compounds in tires, measuring (abs-F89#039) (1) 154
Tack, effect of contact time (4) 613
Tactile feel, in electric switches, analyzed by finite-element method (1) 135
Taguchi Loss Function, in developing optimal compounds (abs-F89#053) (1) 156
Taguchi philosophy, of quality control (abs-S90#078) (4) 647
Tandem mass spectrometry (MS/MS), for analysis of additives in a rubber compound (2) 298
Tear strength, of elastomers, effect of oxygen and of thiophenol vapors (1) 123
Tensile set, in silica-filled silicone rubber, induced by ammonia (2) 202
Tensile stress–strain measurements, for gum elastomers and filled compounds (4) 624
Termination mechanism, in NR, studied with fungi (1) 1
Test methods, importance of monitoring during production (abs-S90#080) (4) 648
Testing, of rubber, organized by electronic data processing (abs-S90#079) (4) 647
Tetrabenzyl thiuram disulfide, accelerator with lowered toxicity (abs-F89#070) (1) 159
Thermal analysis techniques, for the rubber laboratory (abs-F89#080) (1) 160

Thermal reaction, between 2,4-dichlorobenzoyl peroxide and *n*-pentadecane (1) 92
Thermogravimetric analysis, introductory review (abs-F89#080) (1) 160
Thermomechanical analysis, introductory review (abs-F89#080) (1) 160
Thermomechanics of rubber, using finite-element analysis (review) (3) 368
Thermo-oxidative degradation, of thick-walled rubber materials, IR and x-ray study (1) 23
Thick-walled rubber, IR and x-ray tomography for thermo-oxidative degradation (1) 23
Thiophenol, effect on tear strength of elastomers (NR, SBR, BR) (1) 123
Tin compounds, coupled with solution SBR, structure and dynamic properties (1) 8
Tin–carbon bonds, effect on hysteresis of solution SBR (1) 8
Tire compounds, developing by using fatigue methods based on fracture mechanics (4) 567
Tire sidewalls, model, influence of antidegradants in evaluating (abs-F89#038) (1) 154
Tire treads, from SBRs (abs-S90#075) (4) 646
Tire treads, high-performance using microincompatible polymer blends (abs-F89#036) (2) 309
Tire treads, predicting rolling resistance by Yerzley oscillograph (abs-F89#064) (2) 310
Tires, acoustic problems, modal analysis (abs-F89#066) (1) 159
Tires, heavy-duty, types of aging of the parts during service (5) 683
Tires, highway, rolling loss (review) (3) 315
Tires, lower sidewall stock, curing with oil-modified phenol–formaldehyde resin (abs-F89#016) (1) 151
Tires, measuring adhesion of uncured and cured cap and base compounds (abs-F89#039) (1) 154
Tires, measuring oil migration in (abs-F89#037) (1) 153
Tires, motorcycle, with radial design (abs-F89#065) (1) 158
Tires, passenger radial, aging of belt-skim rubbers in (5) 698
Tires, truck, evaluating patents concerning (abs-F89#042) (1) 155
Tires, using Standard Indonesian Rubber (abs-F89#011) (1) 150
Tires, with EPDM components (abs-F89#040) (1) 154
Titanium (III) soluble catalyst, for copolymerization of ethylene and propylene (5) 713
TPEs, developmental (abs-F89#102) (1) 161
TPEs, European markets (abs-F89#028) (1) 152
TPEs, low-permeability, weather- and heat-resistant (abs-F89#103) (1) 161
TPEs, marketing in the 1990's (abs-F89#027) (1) 152
TPEs, poly(carbonate-amide), with good thermal resistance and hydrolytic stability (abs-F89#104) (1) 162
TPOs (thermoplastic polyolefins), properties and end-use applications (abs-S90#007) (4) 639
Traction, wet and dry, for tire treads from various SBRs (abs-S90#075) (4) 646
Trans, *trans*-Farnesyl pyrophosphate in fungi, rubber biosynthesis from (1) 1
Treadwear performance, as related to carbon-black surfaces (5) 747
Treadwear, of tires from various SBRs (abs-S90#075) (4) 646
Triphenyl tin chloride, modifier for high-*cis*-BR made with neodymium catalyst (abs-S90#084) (4) 649
Truck tire retreads, blend of NR and synthetic for (abs-F89#010) (1) 149
Truck tires, evaluating patents concerning (abs-F89#042) (1) 155
True value basis, for product evaluation (abs-F89#128) (1) 164
Twin-screw feed injector, corotating conjugate (abs-F89#113) (1) 162

V-BR, Poly(*cis*-butadiene-co-1,2-vinylbutadiene), miscibility with IR (5) 669
Vacuum, effect on tear strength of elastomers (NR, BR, SBR) (1) 123
Vibration isolation, by modified solution-polymerized rubber blends with NR (abs-F89#077) (2) 311
Viscometer, Mooney MV2000, for relaxation measurements (abs-F89#074) (1) 160
Viscosity-stabilized NR, processing (abs-F89#034) (1) 153
Vulcanizate properties, correlation with carbon-black parameters (abs-F89#114) (2) 312

Weighing, of micro amounts of compound ingredients (abs-F89#061) (1) 158
Wire, adhesion to rubber, promoted by chloropyrimidines and chlorotriazines (abs-S90#077) (4) 647
Worldwide alliances, in the rubber industry (abs-F89#025) (1) 152

X-ray crystallography, of *cis*- and *trans*-polyisoprene blends (abs-F89#013) (1) 150
X-ray tomography, for thermo-oxidative degradation of thick-walled rubber materials (1) 23

Yerzley oscillograph, for predicting rolling resistance of tire tread (abs-F89#064) (2) 310